

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L34	10	(stor\$5 or register\$5 or writ\$5) near8 (sequence near3 number) with table and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:23
L35	2	((compar\$5 near3 ((packet or node) near2 sequence)) with table) and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:28
L36	67	(node near8 (sequence near3 number)) and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:31
L37	5	((data near3 packet) near8 header) with node near6 ((sequence near3 number) or identi\$5) and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:32
L38	5	(node near8 (sequence near3 number)) same (stor\$5 or register\$5 or writ\$5) with table and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:34
L39	3	(node near8 (sequence near3 number)) same (stor\$5 or register\$5 or writ\$5) with table and memory and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:34

L40	2	((compar\$5 or evaluat\$5 or measur\$5 or weigh\$5) near4 ((packet or node) near2 sequence)) with table) and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:35
L41	5	((data near3 packet) near6 header) with node near6 ((sequence near3 number) or identi\$5) and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:36
L42	2	(stor\$5 or register\$5 or writ\$5) near8 (data near3 packet) with node near6 (sequence near3 number) and 370/230,315,328,338.ccls. and (@ad<="20030304" or @rlad<="20030304" or @prad<="20030304")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/01 10:37
S1	41440	broadcast\$3 near3 data	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 16:03
S2	14	S1 and (adhoc near3 network)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 15:51
S3	2741	broadcast\$3 near3 data near3 packet	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 17:17
S4	1	S3 and (adhoc near3 network)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 16:06
S5	339	S3 and (compar\$3 near3 (unit or device or module or equipment))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 16:07
S6	254	S5 and (control near3 (unit or device or module or equipment))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 16:09

S7	5	S6 and (relay near3 (node or router))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 16:39
S8	134	S6 and (memory near3 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 17:15
S9	2	broadcast near3 adhoc near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 17:16
S10	64	S3 and ((realy or repeater) near3 (node or router or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 17:28
S11	38	reliab\$3 near3 broadcast\$3 near3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 17:53
S14	2	"20030013532"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 07:58
S15	2	"20040008652"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 07:58
S16	2744	broadcast\$3 near3 data near3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 07:59
S17	69	S16 and (node near3 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:07
S18	24	S16 and (node near3 sequence near3 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:14
S19	413	adhoc near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:15

S20	108	S19 and broadcast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:15
S21	25	S20 and (node near3 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:00
S22	573	((packet or data) near4 (sequence near2 number)) same (relay near2 node or node or router or access point)) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:48
S23	339	S22 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:05
S24	332	S23 and control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:06
S25	232	S24 and manage\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:07
S26	186	S25 and (table or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:08
S27	87	S26 and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:08
S28	70	S27 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:10
S29	43	S28 and (@ad<"20030304" or @prad<"20030304" or @rlad<"20030304")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:13

S30	0	((broadcast\$3 with (ad hoc near2 network)) with (((relay or repeater) near3 node) with (compar\$3 near2 unit) with (sequence near2 number)) same ((management near2 packet) or (stor\$3 with table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:06
S31	0	((broadcast\$3 with (ad hoc near2 network)) with (((relay or repeater) near3 node) with (compar\$3 near2 unit) with (sequence near2 number)) same ((management near2 packet) or (stor\$3 with table)) and 370/310.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:06
S32	955	370/310.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:06
S33	0	S32 and ((broadcast\$3 with (ad hoc near2 network)) with (((relay or repeater) near3 node) with (compar\$3 near2 unit) with (sequence near2 number)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:17
S34	0	S32 and ((broadcast\$3 with (ad hoc near2 network)) with ((relay or repeater) near3 node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:12
S35	0	S32 and (broadcast\$3 with (ad hoc near2 network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:13
S36	12	((broadcast\$3 with (ad hoc near2 network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:14
S37	12	S36 and ad@<"20030304"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 08:01

S38	3	S37 and (relay or repeater)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:21
S39	0	S37 and (((relay or repeater) near3 node) with (compar\$3 near2 unit))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:19
S40	0	S37 and ((relay or repeater) with (compar\$3 near2 unit))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:19
S41	0	S38 and (compar\$3 near2 unit)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:20
S42	0	S38 and (compar\$3 near12 unit)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:20
S43	8	II21 and (relay or repeater)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:22
S44	7193	(broadcast\$3 near2 data) and 370/310.ccls. or 370/315.ccls. or 370/328.ccls. or 370/338.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 08:15
S45	7193	S44 and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:39
S46	26	S45 and (ad hoc near2 (network or environment))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:40

S47	2	S46 and (node near2 sequenc\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:39
S48	0	(broadcast\$3 near2 data) with (adnoc near2 (network or environment))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 10:18
S49	14	(broadcast\$3 near2 data) and (adnoc near2 (network or environment))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 08:16
S50	14	S49 and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 08:44
S51	0	S50 and (compar\$3 near2 sequence\$1)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:41
S52	0	S50 and (compar\$3 near9 sequence\$1)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 08:21
S53	0	S50 and (sequence near2 tablec)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:24
S54	1	S50 and ((compar\$3 or determin \$3 or evaluat\$3 or calculat\$3) with table)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 08:28
S55	1	S49 and ((compar\$3 or determin \$3 or evaluat\$3 or calculat\$3) with table)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:03

S56	2	"11331234".did.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:03
S57	11026	(broadcast\$3 near2 data) with ((ad hoc near2 (network or environment)) or ((wireless or radio or mobile) near3 network or system))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 12:01
S58	90	S57 and (compar\$3 near3 (node near2sequence\$1))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:23
S59	0	S50 and ((sequence or address) near3 table)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:25
S60	20	S58 and ((sequence or address) near3 table)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:27
S61	2	S60 and @ad< "20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:44
S62	3146	S44 and @ad< "20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:39
S63	29	S62 and (node near2 sequenc\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:39
S64	0	S63 and (ad hoc near2 (network or environment))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:40



S65	5	S63 and (compar\$3 near2 sequence\$1)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:42
S66	6448	S57 and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 08:46
S67	12	S66 and ((receiv\$3 near3 (data or packet)) with ((sender or node) with (sequence or address) near3 (identificat\$3 or informat\$3)))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 10:55
S68	11712	((broadcast\$3 near2 data) with ((ad hoc near2 (network or environment)) or ((wireless or radio or mobile) near3 network or system))) and 370/315.ccls. or 370/328.ccls. or 370/338.ccls. or 370/392.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 12:11
S69	6	S68 and ((receiv\$3 near2 packet) with (node near2 sequence near2 number))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 12:33
S70	2	S69 and (compar\$3 near2 sequence)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 12:34
S71	32	S68 and ((receiv\$3 near8 packet) with (node near6 sequence near6 number))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:18
S72	2	S71 and (compar\$3 with (store \$1 near6 sequence))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:10
S73	124	S68 and (node near6 sequence near6 number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:47
S74	32	S73 and (contain\$3 with receiv \$3 near3 packet)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:09

S75	98	S73 and (receiv\$3 with packet \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:10
S76	5	S75 and (compar\$3 with (store \$1 near6 sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:11
S77	0	S72 and @ad<"20030304"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:16
S78	6850	S68 and @ad<"20030304"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:18
S79	15	S78 and ((receiv\$3 near8 packet) with (node near6 sequence near6 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:03
S80	4	S79 and ((determin\$3 or compar\$3 or evaluat\$3) near6 transmit \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:23
S81	6	S78 and ((compar\$3 with (store \$1 near6 sequence)) same transmi\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:35
S82	3481	S78 and (receiv\$3 near8 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:34
S83	48	S82 and (node near6 sequence near6 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:46
S84	2	S83 and (compar\$3 with (store \$1 near6 sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 13:36

S85	9	S83 and ((sequence near6 compar \$3)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:52
S86	0	S79 and ((control near8 transmit \$4) with increment\$3 near8 sequence)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 15:10
S87	3	S78 and ((control near8 transmit \$4) with increment\$3 near8 sequence)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 15:11
S88	7	S79 and ((IP near2 address) or (internet near2 address) or (internet near2 protocol near2 address) with (link near2 status))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:10
S89	0	S79 and ((IP near2 address) or (internet near2 address) or (internet near2 protocol near2 address) or (link near2 status)) and OSPF	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:11
S90	2280	S78 and ((IP near2 address) or (internet near2 address) or (internet near2 protocol near2 address) or (link near2 status)) and OSPF or (open adj shortest adj path adj first)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:13
S91	2193	S79 and ((IP near2 address) or (internet near2 address) or (internet near2 protocol near2 address) or (link near2 status)) and OSPF or (open adj shortest adj path adj first)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:16
S92	7	S79 and ((IP near2 address) or (internet near2 address) or (internet near2 protocol near2 address) or (link near2 status) and OSPF or (open adj shortest adj path adj first))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:14
S93	7	S79 and ((IP near2 address) or (internet near2 address) or (internet near2 protocol near2 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:15
S94	0	S79 and (link near2 status)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:16

S95	0	S93 and (link near2 status)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:16
S96	1918	S78 and ((IP near2 address) or (internet near2 address) or (internet near2 protocol near2 address) or (link near2 status))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:18
S97	30	S83 and ((IP near2 address) or (internet near2 address) or (internet near2 protocol near2 address) or (link near2 status))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:18
S98	6	S97 and OSPF	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:19
S99	11737	((broadcast\$3 near2 data) with ((ad hoc near2 (network or environment)) or ((wireless or radio or mobile) near3 network or system))) and 370/315.ccls. or 370/328.ccls. or 370/338.ccls. or 370/392.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 08:44
S101	6868	S99 and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/16 08:46
S102	62	S101 and (node near6 sequence near6 number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:48
S103	7	S102 and (equal near6 sequence)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:36
S104	10	S102 and (sequence near6 compar\$3)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:52
S105	5	S104 and (sequence near6 equal)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:00

S106	0	S101 and (((terminat\$3 or disconnect\$3) near8 transmi\$5) with (equal near6 sequence))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:04
S107	48	S101 and (equal near6 (sequence near3 number\$1))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:10
S108	3	S107 and (((terminat\$3 or disconnect\$3) near8 transmi\$5)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:05
S109	1	S101 and ((unequal or notequal near6 (sequence near3 number \$1))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:11
S110	1	S109 and retransmission	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:14
S111	0	S102 and (((terminat\$3 near3 (stop\$3 or terminat\$3 or discontinu\$3)) near6 transmi\$5)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:18
S112	0	S102 and (((terminat\$3 near8 (stop\$3 or terminat\$3 or discontinu\$3)) near8 transmi\$5)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:19
S113	14	S102 and (((terminat\$3 or stop\$3 or discontinu\$3) near8 transmi \$5)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:19
S114	0	S102 and (((equal or unequal near6 sequence) same ((stop\$3 or start\$3) near6 retransmi\$5))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:38
S115	0	S101 and (((equal or unequal near6 sequence) same ((stop\$3 or start\$3) near6 retransmi\$5))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:38
S116	2	S101 and (((equal or unequal with sequence) same ((stop\$3 or start\$3) with retransmi\$5))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:21

S117	0	S102 and (retransmi\$5 near6 stop\$3)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:22
S118	16	S101 and (retransmi\$5 near6 stop\$3)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:33
S119	1	S118 and (exceed\$3 near4 number\$1)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:24
S120	0	S101 and ((stop\$4 near6 retransmi\$4) with (exceed\$3 near3 number near3 times))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:36
S121	0	S101 and ((stop\$4 near6 retransmi\$4) with (number near3 times))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:37
S122	2	S101 and ((stop\$4 near6 retransmi\$4) with (predetermin \$3 near3 times))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:39
S123	0	S101 and ((stop\$4 near6 retransmi\$4) with (retransmi\$4 near5 exceed\$3 near5 number near5 times))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:40
S124	0	S101 and ((stop\$4 near6 retransmi\$4) and (retransmi\$4 near5 exceed\$3 near5 number near5 times))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:40
S125	0	S101 and (node near6 (stop\$4 near6 retransmi\$4))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:42
S126	0	S101 and (node same (stop\$4 near6 retransmi\$4))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:43
S127	0	S101 and (node same (stop\$4 near12 retransmi\$4))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 10:43

S128	10197	(stor\$5 or register\$5 or writ\$5) near8 (sequence near3 number) and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/10 11:09
S129	10197	(stor\$5 or register\$5 or writ\$5) near8 (sequence near3 number) and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 11:10
S130	814	(stor\$5 or register\$5 or writ\$5) near8 (sequence near3 number) with table and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 11:12
S131	33	(stor\$5 or register\$5 or writ\$5) near8 (node near8 (sequence near3 number)) with table and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 11:14
S132	54	(stor\$5) same node near8 (sequence near3 number) with table and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 11:42
S133	2	(stor\$5) same node near8 (sequence near3 number) with table and 370/312.ccls. and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 11:43
S134	4	(stor\$5) same (sequence near3 number) with table and 370/312.ccls. and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 11:43
S135	1913	earpiece and "455"/\$.ccls. and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 11:44
S136	29	stor\$5 near8 (node near8 (sequence near3 number)) with table and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 12:02

S137	33	(stor\$5 or register\$5 or writ\$5) near8 (node near8 (sequence near3 number)) with table and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 12:22
S138	13	(stor\$5 or register\$5 or writ\$5) near8 (node near8 (sequence near3 number)) with table and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 12:22
S139	884	(node near8 (sequence near3 number)) and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:01
S140	36	(node near8 (sequence near3 number)) same (stor\$5 or register\$5 or writ\$5) with table and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:01
S141	28	(node near8 (sequence near3 number)) same (stor\$5 or register\$5 or writ\$5) with table and memory and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:02
S142	25160	(stor\$5 or register\$5 or writ\$5) near8 (data near3 packet) and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:32
S143	15	(stor\$5 or register\$5 or writ\$5) near8 (data near3 packet) with node near6 (sequence near3 number) and ad@<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:34
S144	10	(stor\$5 or register\$5 or writ\$5) near8 (data near3 packet) with node near6 (sequence near3 number) and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:37
S145	56	((data near3 packet) near6 header) with node near6 ((sequence near3 number) or identi\$5) and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:44



S146	11	(stor\$5 or register\$5 or writ\$5) same ((data near3 packet) near6 header) with node near6 ((sequence near3 number) or identi\$5) and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:45
S147	3	(stor\$5 or register\$5 or writ\$5) same ((data near3 packet) near6 header) with ((destinat\$5 or second) near6 node) near6 ((sequence near3 number) or identi\$5) and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/10 13:50
S148	2	((compar\$5 near3 ((packet or node) near2 sequence)) near8 table) and "370"/\$.ccls.and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/09 14:43
S149	4	((compar\$5 near3 ((packet or node) near2 sequence)) with table) and "370"/\$.ccls.and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/10 08:38
S150	4	((compar\$5 near3 ((packet or node) near2 sequence)) with table) and ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls.) and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/10 08:44
S151	4	((compar\$5 or evaluat\$5 or measur\$5 or weigh\$5) near4 ((packet or node) near2 sequence)) near8 table) and ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls.) and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/10 08:46
S152	7	((compar\$5 or evaluat\$5 or measur\$5 or weigh\$5) near4 ((packet or node) near2 sequence)) with table) and ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls.) and @ad<"20030304"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/10 08:47

10/1/2010 10:38:09 AM

C:\Documents and Settings\sobkhari\My Documents\EAST\Workspaces\10791544.wsp